

MAGIC

PROMOTION 2016 / EN



NEW

WSL-L7
TOOL TROLLEY WORKSTER
SMARTLINE WITH 7 DRAWERS

€499,00
excl. VAT



666-U-20
BIT BOX
WITH
RATCHET 1/4"
35 PIECES

€69,90
excl. VAT



3550-20
TORQUE
WRENCH
TORCOFLEX UK

€109,00
excl. VAT

GEDORE workster smartline - the manoeuvrable, easy-to-steer workshop aid which can be fitted out in so many ways.

- › A sound construction design, extreme manoeuvrability and various ways of stowing away tools and small parts ready-to-be-accessed turn the new workster into an indispensable aid.
- › Seven broad fully extendable drawers and small trays on the working platform provide ample room.
- › The intelligent workster also comes over well thanks to its sturdy, scratch-free coated structure and a drive/steer handle for easy and flexible manoeuvring even under a full load.

WSL-L7 TOOL TROLLEY WORKSTER SMARTLINE with 7 drawers

NEW

- › Dimensions: H 1045 x W 785 x D 510 mm
- › Welded sheet steel construction, torsionally rigid, to take high loadings
- › Sheet steel, corrosion resistant and scratch-proof powder-coated
- › **Individual blocking** only one drawer can be open at a time, single-hand operation
- › Central locking with cylinder lock
- › 7 wide drawers (W 640 x D 400 mm) fully extendable
- › Load capacity per drawer 20 kg
- › Total load capacity 400 kg
- › 4 smooth running wheels on ball bearings (swivel castors Ø 125 mm), one with total brake



H	W	D	Code	No.
1045	785	510	77.0 2977311	WSL-L7



HIGHLIGHT

€499,00
excl. VAT

WSL-L-TS-147 TOOL TROLLEY WORKSTER WITH 147-PIECE TOOL ASSORTMENT

NEW

- › 147-piece assortment for industrial, automotive and craft sector
- › Tools in metric sizes
- › GEDORE Check-Tool-System: 2-colour foam insert to check that the set is complete
- › In tool trolley WSL-L7




Contents	Code	No.
TS CT2-D19-D20	88.3 2980312	WSL-L-TS-147
TS CT2-7		
TS CT2-2154SK-119		
TS CT2-142		
+ WSL-L7		

HIGHLIGHT

€899,00
excl. VAT

WSL-L-TS-190**TOOL TROLLEY WORKSTER
WITH 190-PIECE TOOL ASSORTMENT**

- › 190-piece assortment for industrial, automotive and craft sector
- › Tools in metric sizes
- › GEDORE Check-Tool-System: 2-colour foam insert to check that the set is complete
- › In tool trolley WSL-L7

**NEW****HIGHLIGHT****€1229,00**

excl. VAT

Contents	Code	No.
TS CT2-D19-D20	93.6 2980320	WSL-L-TS-190
TS CT2-7		
TS CT2-2154SK-119		
TS CT2-142		
TS CT2-6-8000		
TS CT2-ITX19		
+ WSL-L7		

WSL-L-TS-308**TOOL TROLLEY WORKSTER
WITH 308-PIECE TOOL ASSORTMENT**

- › 308-piece assortment for industrial, automotive and craft sector
- › Tools in metric sizes
- › GEDORE Check-Tool-System: 2-colour foam insert to check that the set is complete
- › In tool trolley WSL-L7

HIGHLIGHT**€1899,00**

excl. VAT

Contents	Code	No.
TS CT2-D19-D20	105.6 2980347	WSL-L-TS-308
TS CT2-7		
TS CT2-2154SK-119		
TS CT2-142		
TS CT2-6-8000		
TS CT2-ITX19		
TS CT2-2133-2163TX		
TS CT2-7R-2		
TS CT2-D30		
TS CT2-710		
407		
+ WSL-L7		

**NEW**

1578 TOOL TROLLEY


with 6 drawers

€364,00
excl. VAT

- > Dimensions: H 930 x W 605 x D 375 mm
- > Central locking with cylinder lock
- > 6 wide drawers (W 480 x D 325 mm), extendable to both sides
- > Load capacity per drawer 20 kg, Total load capacity 200 kg



Code 43.5 **No.** 1578



2005 0810 TOOL TROLLEY

with 9 drawers


HIGHLIGHT

€799,00
excl. VAT

- > Dimensions: H 985 x W 775 x D 475 mm
- > Central locking with cylinder lock
- > Wide drawers (W 640 x D 400 mm), fully extendable, removable
- > Single-hand operation with safety locking
- > Load capacity per drawer 40 kg, bottom heavy-duty drawer 60 kg
- > Total load capacity 500 kg



Code 2003562 **No.** 2005 0810



2005-TS-147 TOOL TROLLEY WITH 147-PIECE TOOL ASSORTMENT

€1199,00
excl. VAT

- > 147-piece assortment for industrial, automotive and craft sector
- > Tools in metric sizes
- > GEDORE Check-Tool-System: 2-colour foam insert to check that the set is complete
- > In tool trolley 2005 0511

Contents		Code	No.
TS CT2-D19-D20	104.3	2980282	2005-TS-147
TS CT2-7			
TS CT2-2154SK-19			
TS CT2-142			
+ 2005 0511			




2005-TS-190 TOOL TROLLEY WITH 190-PIECE TOOL ASSORTMENT

- › 190-piece assortment for industrial, automotive and craft sector
- › Tools in metric sizes
- › GEDORE Check-Tool-System: 2-colour foam insert to check that the set is complete
- › In tool trolley 2005 0511

€1399,00

excl. VAT




Contents	kg	Code	No.
TS CT2-D19-D20	109.6	2980290	2005-TS-190
TS CT2-7			
TS CT2-2154SK-119			
TS CT2-142			
TS CT2-6-8000			
TS CT2-ITX19			
+ 2005 0511			

2005-TS-308 TOOL TROLLEY WITH 308-PIECE TOOL ASSORTMENT

- › 308-piece assortment for industrial, automotive and craft sector
- › Tools in metric sizes
- › GEDORE Check-Tool-System: 2-colour foam insert to check that the set is complete
- › In tool trolley 2005 0511

€2199,00

excl. VAT



Contents	kg	Code	No.
TS CT2-D19-D20	121.6	2980304	2005-TS-308
TS CT2-7			
TS CT2-2154SK-119			
TS CT2-142			
TS CT2-6-8000			
TS CT2-ITX19			
TS CT2-2133-2163TX			
TS CT2-7R-2			
TS CT2-D30			
TS CT2-710			
407			
+ 2005 0511			



1500 ES-02-2004 TOOL TROLLEY WITH 207-PIECE TOOL ASSORTMENT

€1499,00
excl. VAT

- > Basic equipment for the commercial sector or ambitious do-it-yourselfers
- > Tools in metric sizes
- > Proved GEDORE ES tool modules from ABS
- > In tool trolley 2004 0620

6,3 1/4" 12,5 1/2" 8 5/16"

Contents	kg	Code	No.
S 1500 ES-02 + 2004 0620	117,1	2657708	1500 ES-02-2004



1500 ES-03 2004 TOOL TROLLEY WITH 325-PIECE TOOL ASSORTMENT

€2199,00
excl. VAT

- > Extensive industrial range for professionals
- > Tools in metric sizes
- > Proved GEDORE ES tool modules from ABS
- > In tool trolley 2004 0810

6,3 1/4" 12,5 1/2" 6,3 1/4" 8 5/16"

Contents	kg	Code	No.
S 1500 ES-03 + 2004 0810	125,8	2657716	1500 ES-03 2004



Composition of GEDORE tool assortments based on daily workshop routines

- › Have proved their worth in practice
- › Optimally suited for keeping in GEDORE workshop trolleys and workbenches
- › Ideal for major and minor maintenance and assembly work
- › For industry, the trades, automotive and the ambitious do-it-yourselfers
- › GEDORE quality at an attractive price



TS-147 TOOL ASSORTMENT IN CHECK-TOOL-MODULES

147 pieces

- › Tools in metric sizes
- › GEDORE Check-Tool-System: 2-colour foam insert to check that the set is complete

€599,00
excl. VAT

Contents	kg	Code	No.
TS CT2-D19-D20	11.3	2955997	TS-147
TS CT2-7			
TS CT2-2154SK-119			
TS CT2-142			




TS-190 TOOL ASSORTMENT IN CHECK-TOOL-MODULES

190 pieces

- › Tools in metric sizes
- › GEDORE Check-Tool-System: 2-colour foam insert to check that the set is complete

€899,00
excl. VAT

Contents	kg	Code	No.
TS CT2-D19-D20	16.6	2956527	TS-190
TS CT2-7			
TS CT2-2154SK-119			
TS CT2-142			
TS CT2-6-8000			
TS CT2-ITX19			



TS-308

TOOL ASSORTMENT IN CHECK-TOOL-MODULES

308 pieces

- Tools in metric sizes
- GEDORE Check-Tool-System: 2-colour foam insert to check that the set is complete

€1699,00

excl. VAT

Contents	kg	Code	No.
TS CT2-D19-D20	28.6	2956535	TS-308
TS CT2-7			
TS CT2-2154SK-119			
TS CT2-142			
TS CT2-6-8000			
TS CT2-ITX19			
TS CT2-2133-2163TX			
TS CT2-7R-2			
TS CT2-D30			
TS CT2-710			
407			



S 1500 ES-01

MODULE ASSORTMENT SMALL

104 pieces

- In ES modules from impact resistant ABS

€639,00

excl. VAT

6,3 1/4 12,5 1/2"

Contents	kg	Code	No.
1500 ES-1 B	12.1	2319845	S 1500 ES-01
1500 ES-19			
1500 ES-1993 U-20			
1500 ES-20			
1500 ES-145			
1500 ES-350			
1500 ES-2150 PH			



S 1500 ES-02 MODULE ASSORTMENT MIDDLE

207 pieces

› In ES modules from impact resistant ABS

€1299,00
excl. VAT



Contents

1500 ES-1 B, 1500 ES-6, 1500 ES-19 IS, 1500 ES-ITX 19 LKP, 1500 ES-IN 19 LKM, 1500 ES-1993 U-20, 1500 ES-20, 1500 ES-2133, 1500 ES-7 R, 1500 ES-145, 1500 ES-350, 1500 ES-711, 1500 ES-2150 PH, 1500 ES-K 1900, 1500 ES-8000, 1500 ED-70 K [6x]

kg

Code

No.

S 1500 ES-02

S 1500 ES-03 MODULE ASSORTMENT LARGE

325 pieces

› In ES modules from impact resistant ABS

€1839,00
excl. VAT



Contents

1500 ES-1 B, 1500 ES-19 IS, 1500 ES-1993 U-20, 1500 ES-2, 1500 ES-2 B, 1500 ES-20, 1500 CTD-20 BIT, 1500 ES-2133
1500 ES-2150 PH, 1500 ES-2163 TX, 1500 ES-34, 1500 ES-350, 1500 ES-400, 1500 ES-6, 1500 ES-7 R, 1500 ES-711
1500 ES-8000, 1500 ES-DT 42, 1500 ES-IN 19 LKM, 1500 ES-ITX 19 LKP, 1500 ES-K 1900, 1500 ES-VDE 145, 1500 ES-VDE
2170 PZ, 8551-55, H 42 KEL-88, H 43 KTX-07, 8728, 60 P 8, 137 10, 4615 3, 0513-09, 1940, 1500 ED-70 K [7x]

kg

Code

No.

S 1500 ES-03


1110 WMW-2 TOOL TROLLEY WORKMO W2

NEW

- Modular tool trolley
- Ideal for transportation from the workshop to changing workplaces
- 6 drawers fully extendable suited for GEDORE 1500 ES/1500 CT modules
- One compartment with locking device for GEDORE L-BOXX® 136 no. 1100 L (not included)
- **Compatible with Sortimo® vehicle equipments and load securing**
- Dimensions: W 526 x D 396 x H 1172 mm
- **Weight advantage** (up to 50 % lighter than comparable solutions!)



WORKmo®



42.6

Code
2954435

No.
1110 WMW-2

HIGHLIGHT

€679,00

excl. VAT

WORKmo®



52.8

Code
2954443

No.
1110 WMW-3

NEW

Mobile, safe and rapidly deployable anywhere.

- Mobile-deployed tradesmen and service technicians need a flexible, high-quality workshop and transfer solution which adjusts to the requirements of their working day.
- GEDORE WorkMo system is the perfectly organized and non-complex intelligent solution.
- The GEDORE WorkMo is based on SORTIMO®'s multifunctional transfer, organisation and working system which meets all the legal requirements on load restraints in connection with the vehicle interior fittings of SORTIMO®.
- The system is made up of various, combinable-at-will modules connected by coupler levers.
- The modules can be rapidly transformed on-site into a workshop trolley, workbench or an integral work station.
- In this way the organisation and transfer system is turned into a functional workplace at the drop of a hat.

1110 WMW-3 TOOL TROLLEY WORKMO W3

- Modular tool trolley
- Ideal for transportation from the workshop to changing workplaces
- 6 drawers fully extendable suited for GEDORE 1500 ES/1500 CT modules
- One compartment with locking device for GEDORE L-BOXX® 136 no. 1100 L and GEDORE S-BOXX® no. 1110 WMSB 3 (both not included)
- **Compatible with Sortimo® vehicle equipments and load securing**
- Dimensions: W 789 x D 396 x H 1172 mm
- **Weight advantage** (up to 50 % lighter than comparable solutions!)




1504 0810

MOBILE WORKBENCH

with 9 drawers

- › Drawers with single-hand operation and safety locking
- › Load capacity per drawer 40 kg, bottom heavy-duty drawer 60 kg
- › Central locking for cylinder lock
- › Static load capacity 700 kg, 500 kg when mobile
- › Dimensions: H 985 x W 1100 x D 550 mm



106.0 Code 1814923 No. 1504 0810



€999,00
excl. VAT

1504 EU

WORKBENCH WITH 325-PIECE TOOL ASSORTMENT

- › Professional workplace
- › Static load capacity 700 kg, 500 kg when mobile
- › 30 mm thick multiplex beech wood worktop
- › 9 drawers
- › + Tool assortment

HIGHLIGHT

€2299,00
excl. VAT



6,3 1/4" 12,5 1/2"
6,3 1/4" 8 5/16"

Contents

1500 ES-1 B, 1500 ES-19 IS, 1500 ES-1993 U-20, 1500 ES-2, 1500 ES-2 B, 1500 ES-20, 1500 CTD-20 BIT, 1500 ES-2133
1500 ES-2150 PH, 1500 ES-2163 TX, 1500 ES-34, 1500 ES-350, 1500 ES-400, 1500 ES-6, 1500 ES-7 R, 1500 ES-711
1500 ES-8000, 1500 ES-DT 42, 1500 ES-IN 19 LKM, 1500 ES-ITX 19 LKP, 1500 ES-K 1900, 1500 ES-VDE 145, 1500 ES-VDE
2170 PZ, 8551-55, H 42 KEL-88, H 43 KTX-07, 8728, 60 P 8, 137 10, 4615 3, 0513-09, 1940, 1500 ED-70 K [7x]

	Code	No.
145	1873849	1504 EU

POWER VOLUMEN

- > The sturdy XL mobile workbench, which has proved its worth on innumerable occasions, is fitted out with a large-sized worktop; the 1050 mm wide top drawer has room enough for either an extremely long tool or six 1/3 modules of the GEDORE module system.
- > All drawers can take weights of up to 40 kgs – even 60 kgs is the limit for the bottom drawer.
- > The proven single-hand operation coupled with safety locking stops the drawers from unintentionally opening when the workbench is pushed.
- > The heavy-duty chassis is mounted on roller bearings. Its two Ø 125 mm flexible castors and two Ø 200 mm fixed castors ensure easy manoeuvrability.
- > And finally its 700 kg static load capacity and capacity to take up to 500 kg under mobile deployment conditions make it a sturdy aid in any workshop.

1504 XL MOBILE WORKBENCH EXTRA WIDTH

- > Single-hand operation with safety locking which prevents the drawers from opening when in motion
- > Load capacity per drawer 40 kg, bottom heavy-duty drawer 60 kg
- > Central locking for cylinder lock
- > Static load capacity 700 kg, 500 kg when mobile
- > Dimensions: H 985 x W 1250 x D 550 mm

120,0	1988468	1504 XL



€1199,00
excl. VAT

1504 XL-TS-308 WORKBENCH WITH 308-PIECE TOOL ASSORTMENT

- > 308-piece assortment for industrial, automotive and craft sector
- > Tools in metric sizes
- > GEDORE Check-Tool-System: 2-colour foam insert to check that the set is complete
- > In workbench 1504 XL

Contents	kg	Code	No.
TS CT2-D19-D20	148,6	2980355	1504 XL-TS-308
TS CT2-7			
TS CT2-2154SK-119			
TS CT2-142			
TS CT2-6-8000			
TS CT2-ITX19			
TS CT2-2133-2163TX			
TS CT2-7R-2			
TS CT2-D30			
TS CT2-710			
407			
+ 1504 XL			



HIGHLIGHT

€2499,00
excl. VAT

411

PARALLEL VICE

€209,00
excl. VAT

- › Sturdy forged design
- › Jaws and anvil plate induction hardened
- › Protected vice spindle
- › Adjustable guidance



mm	mm	kg	Code	No.
150	200	18,5	6501290	411-150

1500 CT1-20 SOCKET SET 1/4" in 1/3 CT tool module

€186,00
excl. VAT



6,3 1/4

Contents	kg	Code	No.
O 20 4 5 5,5 6 7 8 9 10 11 12	0.845	2308967	1500 CT1-20
13 14			
● IN 20 3 4 5 6 8			
● ITX 20 T8 T9 T10 T15 T20			
T25 T27 T30 T40			
○ TX 20 E4 E5 E6 E7 E8 E10			
2087 2090-4			
2095 2098			
2093 U-10			

1500 CT1-1993 T ACCESSORIES FOR SOCKET WRENCHES 1/2" in 1/3 CT tool module

€99,00
excl. VAT



12,5 1/2

Contents	kg	Code	No.
1993 U-10 T	1.765	2309106	1500 CT1-1993 T
1987 1995			
1990-5 -10			

1500 CT1-30 SOCKET SET 3/8" in 1/3 CT tool module

€169,00
excl. VAT



10 3/8"

Contents	kg	Code	No.
3 0 6 7 8 9 10 11 12 13	1.670	2308975	1500 CT1-30
14 15 16 17 18 19			
● IN 30 4 5 6 8 10			
3095 3087			
3090-5 -10			
3093 U-10			

1500 CT1-2133 SOCKET WRENCH SET in 1/3 CT tool module

€52,90
excl. VAT



12,5 1/2

Contents	kg	Code	No.
O 2133 5,5 6 7 8 9 10	0.820	2309122	1500 CT1-2133

1500 CT1-19 SOCKET SET 1/2", HEXAGON in 1/3 CT tool module

€125,90

excl. VAT



Contents	Code	No.
19 10 11 12 13 14 15 16 17 18 19	2.790 2308908	1500 CT1-19
21 22 23 24 26 27 28 30 32		
● IN 19 6 7 8 9 10 12 14		

1500 CT1-2 RING SPANNER SET in 1/3 CT tool module

€68,50

excl. VAT



Contents	Code	No.
6 2x7 8x9 10x11 12x13 14x15 16x17 18x19 20x22	1.360 2308827	1500 CT1-2

1500 CT1-7 R COMBINATION RATCHET SPANNER SET in 1/3 CT tool module

€119,00

excl. VAT



Contents	Code	No.
7 R 8 10 12 13 14 15 16 17 18 19	1.240 2308894	1500 CT1-7 R

1500 CT1-D 19 SOCKET SET 1/2", UD PROFILE in 1/3 CT tool module

€127,00

excl. VAT



Contents	Code	No.
D 19 10 11 12 13 14 15 16 17 18 19 21 22 23 24 26 27 28 30 32	2.680 2308916	1500 CT1-D 19
● IN 19 6 7 8 9 10 12 14		

1500 CT1-6 OPEN ENDED SPANNER SET in 1/3 CT tool module

€58,00

excl. VAT



Contents	Code	No.
6 6x7 8x9 10x11 12x13 14x15 16x17 18x19 20x22 21x23 24x27	1.440 2308851	1500 CT1-6

1500 CT1-7 UR COMBINATION RATCHET SPANNER SET in 1/3 CT tool module

€169,00

excl. VAT



Contents	Code	No.
7 UR 8 10 12 13 14 15 16 17 18 19	1.245 2331969	1500 CT1-7 UR

1500 CT1-400 SET OF OPEN FLARE NUT SPANNERS in 1/3 CT tool module

€64,90
excl. VAT



Contents	Code	No.
Ø 400 8x10 10x11 12x14 13x15 17x19	0.565 2309068	1500 CT1-400



1500 CT1-142 PLIERS SET in 1/3 CT tool module

€77,90
excl. VAT



Contents	Code	No.
142 10 JC 8250-180 JC 8132-160 JC 8316-160 JC	1.220 2309025	1500 CT1-142



1500 CT1-2150 PH SCREWDRIVER SET in 1/3 CT tool module

€34,95
excl. VAT



Contents	Code	No.
⊖ 2150 4 5,5 6,5 8	0.630 2309130	1500 CT1-2150 PH
⊕ 2160 PH 1 2		



1500 CT1-2150 PZ SCREWDRIVER SET in 1/3 CT tool module

€34,95
excl. VAT



Contents	Code	No.
⊖ 2150 4 5,5 6,5 8	0.630 2309149	1500 CT1-2150 PZ
⊕ 2160 PZ 1 2		



1500 CT1-2163 TXB SCREWDRIVER SET in 1/3 CT tool module

€39,95
excl. VAT



Contents	Code	No.
⊗ 2163 TXB T10 T15 T20 T25 T30 T40	0.500 2309165	1500 CT1-2163 TXB



1500 CT1-2163 TX SCREWDRIVER SET in 1/3 CT tool module

€36,95
excl. VAT



Contents	Code	No.
⊗ 2163 TX T8 T10 T15 T20 T25 T30	0.400 2309157	1500 CT1-2163 TX



1500 CT1-IN 19 LKM SCREWDRIVER BIT SOCKET SET 1/2"

in 1/3 CT tool module

€97,90

excl. VAT



Contents	Code	No.
● IN 19 5 6 7 8 9 10 12 14 17	1.900	2308932
● IN 19 L 5-90 6-90 8-90 10-140		
12-140 14-140		

1500 CT1-IN 19 LKM

1500 CT1-ITX 19 LKP SCREWDRIVER BIT SOCKET SET 1/2"

in 1/3 CT tool module

€169,90

excl. VAT



Contents	Code	No.
● ITX 19 T20 T25 T27 T30 T40 T45 T50	1.915	2308940
T55 T60		
● ITX 19 L T20-100 T25-100 T27-100		
T30-100 T40-100 T45-100 T50-100 T55-100		
T60-100		
708		

1500 CT1-ITX 30 SCREWDRIVER BIT SOCKET SET 3/8"

in 1/3 CT tool module

€259,00

excl. VAT



Contents	Code	No.
● IN 30 L 4 5 6 7 8 10	2.175	2308983
● ITX 30 T20 T25 T27 T30 T40 T45 T50		
● ITX 30 L T20 T25 T27 T30 T40 T45 T50		
● TX 30 E5 E6 E7 E8 E10 E11 E12 E14		
● IS 30 5,5 6,5 8 10 12		
● IKS 30 1 2 3		
● IKS 30 PZD 1 2 3		

€62,90

excl. VAT



Contents	Code	No.
8000 A 1	1.010	2309181
8000 A 2		
8000 A 21		
8000 J 1		
8000 J 2		
8000 J 21		

1500 CT1-350 CHISEL SET

in 1/3 CT tool module



Contents	Code	No.
97-250	1.425	2309041
98-125		
99 12-5		
100-12		
119-1,5 3 4		
600 H-300		

€55,90

excl. VAT




1500 CT1-VDE 142

VDE PLIERS SET

in 1/3 CT tool module

€82,90
excl. VAT



Contents	Code	No.
142 10 C	1.160 2309033	1500 CT1-VDE 142
VDE 8250-180 H		
VDE 8132-160 H		
VDE 8314-160 H		

1500 ED-70 S

DISTANCE MODULE 1/3 EMPTY

- For tool trolley workster and 2005, workbench 1504 XL and tool chest 2430
- Dimensions: W 152 x D 77 x H 40 mm



€4,50
excl. VAT

W	D	H	Code	No.
152	77	40	0.150 1851462	1500 ED-70 S

1500 CT1-VDE 2170 PZ

VDE SCREWDRIVER SET

in 1/3 CT tool module

€43,90
excl. VAT



Contents	Code	No.
⊕ VDE 2170 4 5,5 6,5 8	0.625 2309173	1500 CT1-VDE 2170 PZ
⊕ VDE 2160 PZ 1 2		2170 PZ

1500 ED-70 K

DISTANCE MODULE EMPTY

- For XL drawers of models 2005, WSL-L7 and 1504 XL
- Dimensions: W 475 x D 77 x H 40 mm



€3,35
excl. VAT

W	D	H	Code	No.
475	77	40	0.120 1618687	1500 ED-70 K

1500 ED-70 XL

DISTANCE MODULE EMPTY

- For XL drawers of models 2005, WSL-L7 and 1504 XL
- Dimensions: W 625 x D 77 x H 40 mm



€6,90
excl. VAT

W	D	H	Code	No.
625	77	40	0.854 1803069	1500 ED-70 XL

1500 CT2-7 COMBINATION SPANNER SET

in 2/3 CT tool module

€129,00
excl. VAT




Contents
 6 7 8 9 10 11 12 13 14 15 16 17
 18 19 20 21 22
 PH 42-88 (2, 2,5, 3, 4, 5, 6, 8, 10)

Code 1.750 No. 1500 CT2-7

1500 CT2-DT 2142 HEXAGON SOCKET KEY SET

in 2/3 CT tool module

€69,90
excl. VAT



Contents
 DT 2142 2,5, 3
 4, 5, 6, 7, 8, 10

Code 0.900 No. 1500 CT2-DT 2142

2005 CT4-7 XL COMBINATION SPANNER SET

in 4/4 CT tool module

- › Extra long
- › For XL drawers of models 2005, WSL-L7 and 1504 XL

€319,00
excl. VAT



Contents
 7 XL 10 11 12 13 14
 15 16 17 18 19 21 22 24
 27 30 32 36 41

Code 8.2 No. 2005 CT4-7 XL

1500 CT2-7-32 COMBINATION SPANNER SET

in 2/3 CT tool module

€89,00
excl. VAT



Contents
 7 23 24 27 30 32

Code 1.865 No. 1500 CT2-7-32

2005 CT3-32 SOCKET SET 3/4"

in 3/4 CT tool module

- › Dimensions: 472.5 x 390 x 50 mm
- › Suitable for:
- › all drawers of models B 1500, 1502, 1505
- › only drawers with height 137 and 207 mm of models 1504, 1504 XL, 1506 XL, 2004, 2005, workster
- › For XL drawers of models 2005, WSL-L7 and 1504 XL




€279,00
excl. VAT



Contents
 32 22 24 27 30 32 36 38
 41 46 50
 3290-8 -16
 3293 U-2
 3287

Code 9.0 No. 2005 CT3-32



1500 CTD-20 BIT TOOL MODULE 1/4"

with assortment

- Only suitable for tool trolley 2004, and workbenches 1502, 1504, 1505 and 1506 XL
- For models 2005, workster, 2430 and 1504 XL with distance module 1500 ED-70 S
- Dimensions: W 475 x D 77 x H 40 mm



1B-110 COMBINATION SPANNER SET

11 pieces

- With same size each end, ring 10° offset from shaft, with UD profile



€69,90
excl. VAT

Contents
7 8 10 11 12 13 14 16 17 18 19

Code
1.050 6013140

No.
1B-110



Contents		Code	No.
O 20 L 4 4,5 5 6 7 8 9	0.700	1733419	1500 CTD-20 BIT
10 12 13			
680 4 5,5 6,5 8			
685 2,5 3 4 5 6			
685 X 5 6 8			
687 TX T6 T7 T8 T9			
T10 T15 T20 T25 T27			
T30 T40			
690 1 2 3			
690 PZD 1 2 3			
649 673 6,3			
699 620			
676 639			

€134,90
excl. VAT

6-8 DOUBLE OPEN ENDED SPANNER SET

8 pieces

- To DIN 3110, ISO 3318, ISO 1085, ISO 10102
- Slim pattern, oval shaft
- GEDORE vanadium steel 31CrV3, chrome-plated



€29,90
excl. VAT

Contents		Code	No.
6x7 8x9 10x11 12x13 14x15 16x17 18x19	0.819	6077380	6-8

60 S-C ADJUSTABLE WRENCH open end

- Jaw set at 15°
- Swedish pattern, roller with left-hand thread
- With scale



from
€8,90
excl. VAT

Size "	mm	mm	Code	No.	excl. VAT
6	153.0	20	2668831	60 S 6 C	8,90
8	206.5	25	1966316	60 S 8 C	9,90
10	254.5	30	2170973	60 S 10 C	11,90
12	305.0	36	2668890	60 S 12 C	17,90

666-U-20

BIT BOX WITH RATCHET 1/4"

35 pieces

NEW

- Particularly thin-walled 1/4" sockets
- For mechanical and hand-operated use
- In plastic box with inspection window in a foam module

HIGHLIGHT


€69,90
excl. VAT



6,3 ¼"

Contents	Code	No.
Impact socket 1/4"		
Ø 4,5 5,5 6 7 8 9 10 11 12 13	0.570	2998211
Bit 1/4"		666-U-20
● 4 5 6 8		
● TORX® T10 T15 T20 T25 T27		
T30 T40		
⊕ PH1 PH2 PH3		
⊕ PZ1 PZ2 PZ3		
⊖ 4,5 5,5 6,5		
Wobble extension 1/4" 50 mm		
Bit adaptor 1/4" sq. dr. - 1/4" hex dr.		
Adaptor 1/4" hex dr. - 1/4" sq. dr.		
GEDORE Ratchet 1/4" 2093 U-20		

➤ TORX® = reg. trademark of Acument Intellectual Properties, LLC. USA



Suitable for all screw fitting instances

- This 35-piece 1/4" set is suited for all conventional screwed connections in mechanical and hand-operated use. As such, the sockets can be driven via an adapter with electric machines or directly via the 2093 U-20 ratchet.
- The 1/4" sockets are specially thin-walled and thus admirably suited for work in confined spaces.
- The tried-and-tested premium ratchet comes with the set. This set is delivered in a small, compact plastic box with inspection window for that easy completeness check.



20 EMU-10 SOCKET SET 1/4"

16 pieces

- › With forged, tempered hexagon sockets, hand-operated
- › With accessories made from GEDORE vanadium steel 31CrV3
- › With reversible lever change ratchet

€89,90
excl. VAT



6,3 1/4"

Ratchet	Sockets	Accessories	Code	No.
U-10 2093	○ 20 4 4,5 5 5,5 6 7 8 9 10 11 13	2087 2090-4 2095 2098	0.790 6162220	20 EMU-10
U-10				

D 20 KMU-20 SOCKET SET 1/4"

37 pieces

- › With forged, tempered UD profile sockets, hand-operated
- › With accessories made from GEDORE vanadium steel 31CrV3
- › With robust lever-change reversible ratchet with push-button release

HIGHLIGHT

€89,00
excl. VAT



6,3 1/4" 6,3 1/4" mm

Ratchet	Sockets	Accessories	Code	No.
2093	○ D 20 4 5 6 7 8 9 10 11 12 13 ⊖ 680 4 5,5 6,5 ● 685 3 4 5 6 ● 685 X 5 6 8 ● 687 TXT 10 T15	2090-4 620 676 699	0.712 1822373	D 20 KMU-20
U-20				

SL 2013 TOOL HOLDING RAIL, MAGNETIC 1/4"

empty

- › External squares to take 13 standard commercial 6.3 mm (1/4") sockets
- › Two female square adaptors to take ratchets, sliding T bars, extensions etc.
- › A strong magnet securely holds the socket rail to ferrous metals



380 mm



6,3 1/4" 6,3 1/4" Ω

€19,90
excl. VAT

mm	Code	No.
380	0.355 1761080	SL 2013

2099 TELESCOPIC EXTENSION 1/4" magnetic

- › With 1/4" female square drive and 1/4" female hexagon drive
- › Adjustable in 10 mm steps from 186-296 mm
- › Suitable for 1/4" bits as well as with adaptor no. 673 for sockets up to 13 mm



186 - 296 mm

€23,95
excl. VAT

mm	Code	No.
1/4" 6.3 1/4" 6.3 186-296	0.205 1888455	2099

30 JMU-10 SOCKET SET 3/8"

16 pieces

- With forged, tempered hexagon UD profile sockets, hand-operated
- With accessories made from GEDORE vanadium steel 31CrV3
- With reversible lever change ratchet

€129,00
excl. VAT



10 3/8

Ratchet	Sockets	Accessories	Code	No.
U-10 3093	○ 30 6 7 8 9 10 11 12 13 14 15 16 17 18 19	3090-5	2682885	30 JMU-10
U-10				

D 30 GMU-3 SOCKET SET 3/8"

17 pieces

- With forged, tempered UD profile, hand-operated sockets
- With accessories made from GEDORE vanadium steel 31CrV3
- With fine toothed, dial change ratchet

€159,00
excl. VAT



10 3/8

Ratchet	Sockets	Accessories	Code	No.
U-3 3093 U-3	○ D 30 6 7 8 9 10 11 13 14 15 16 17 19	3087 3090-5 -10 3095	2.7 6240200	D 30 GMU-3

SL 3014 TOOL HOLDING RAIL, MAGNETIC 3/8" empty

- External squares to take 14 standard commercial 10 mm (3/8") sockets
- Two female square adaptors to take ratchets, sliding T bars, extensions etc.
- A strong magnet securely holds the socket rail to ferrous metals



10 3/8 10 3/8 Ω

€23,90
excl. VAT

mm	mm	kg	Code	No.
480	33	0.479	1761099	SL 3014

D 30 HMU-10 SOCKET SET 3/8"

22 pieces

- With forged, tempered UD profile, hand-operated sockets
- With accessories made from GEDORE vanadium steel 31CrV3
- With reversible lever change ratchet

€179,00
excl. VAT



10 3/8

Ratchet	Sockets	Accessories	Code	No.
U-10 3093	○ D 30 6 7 8 9 10 11 11 12 13 14 15 16 17 18 19 20 21 22	3087 3090-5 -10 3095	3.1 6239700	D 30 HMU-10
U-10				

SL 1916

TOOL HOLDING RAIL, MAGNETIC 1/2"

empty

- External squares to take 16 standard commercial 12.5 mm (1/2") sockets
- Two female square adaptors to take ratchets, sliding T bars, extensions etc.
- A strong magnet securely holds the socket rail to ferrous metals



12.5 1/2" 12.5 1/2" Ω

Execution | mm | mm | kg | Code | No.
for 16 pieces 1/2" sockets 580 33 0.522 1761102 SL 1916

€25,90
excl. VAT



1/2" UNIT DRIVE 12.5 mm

Ratchet	Sockets	kg	Code	No.
* 1993 U-20 SK	19 SK 10 11 12 13 14 15 16 17 18 19 21 22 24	2.6	2521563	19 SKU-20

D 19 JMU-3

SOCKET SET 1/2"

19 pieces

- With forged, tempered UD profile sockets, hand-operated
- With accessories made from GEDORE vanadium steel 31CrV3
- With fine toothed, dial change ratchet

€169,00
excl. VAT



12.5 1/2"

Ratchet	Sockets	Accessories	kg	Code	No.
* U-3 1993 U-3	D 19 8 9 10 11 12 13 14 15 16 17 18 19 21 22 24	1990- 5 -10 1995	3.7	2682850	D 19 JMU-3

D 19 EMU-20

SOCKET SET 1/2"

23 pieces

- With forged, tempered UD profile sockets, hand-operated
- With accessories made from GEDORE vanadium steel 31CrV3
- With robust lever-change reversible ratchet, with push-button release

€189,00
excl. VAT



12.5 1/2"

Ratchet	Sockets	Accessories	kg	Code	No.
* U-20 1993 U-20	D 19 8 9 10 11 12 13 14 15 16 17 18 19 21 22 24 27 30 32	1987 1990-5 -10 1995	6.7	2545845	D 19 EMU-20

19 LMU-10 SOCKET SET 1/2"

31 pieces

- › With forged, tempered UD profile sockets, hand-operated
- › Impact sockets with protective sleeve
- › With accessories made from GEDORE vanadium steel 31CrV3
- › With reversible lever change ratchet, with push-button release

€299,00
excl. VAT



12,5 1/2 mm

Ratchet	Sockets	Accessories	Code	No.
U-10 T 1993	○ 19 10 11 12 13 14 15 16 17 18 19 21 22	1990-5 -10	8.3 1806033	19 LMU-10
	24 27 32 36			
	○ D 19 L 10 12 13 14			
	15 16 18 24			
	○ K 19 LS 17 19 21 22			

19 V20U-20 SOCKET SET 1/4"-1/2"

81 pieces

- › With forged, tempered sockets, hand-operated
- › With accessories made from GEDORE vanadium steel 31CrV3
- › With robust lever-change reversible ratchet, with push-button release

€299,00
excl. VAT



12,5 1/2 mm

Ratchet	Sockets	Accessories	Code	No.
1993	○ 19 10 11 12 13 14 15 16 17 18 19 21 22 24 27 30 32 36	1990-5 -10	1550691	19 V20U-20
U-20				
2093	○ D 20 4 5 5,5 6 7 8 9 10 11 12 13 680 4 4,5 5,5 6,5 685 2 2,5 3 4 5 6 8 685 X 5 6 8 687 TX T10 T15 T20 T25 T27 T30 T40 690 1 2 3 690 PZD 1 2 3 885 3 4 5 6 8 10 885 X 5 6 8 10 12 887 TX T27 T30 T40 T45 T50	2090-4 2095 620 676 699 KB 819		
U-20				

1993 U-20 G REVERSIBLE RATCHET 1/2"

with offset handle

- › Handle offset for barely accessible places
- › Fine-toothed, with lever change and push-button release
- › Return angle 6 degrees




1/2" 12.5 6 270 37.5 0.540 2746786 1993 U-20 G

€48,90
excl. VAT

GEDORE 1/2" and 3/8" extension with holding magnet – a real problem solver

- › Deep-seated screws is a recurrent problem in many workshops.
- › A confined space makes it impossible to grasp the screw with one's hand after slackening. This, in turn prevents the screw being held in the socket and pulled out.
- › There is the risk of the screw dropping out of the socket and remaining in the engine compartment.
- › The outlay needed to get it out takes time.
- › The holding magnet equipped GEDORE extension keeps the screw securely in place in the socket.
- › The advantage of the GEDORE extension is that it can be used with all sockets in 1/2" and 3/8" and, as such, is universally deployable.
- › The spring-mounted pin makes it easy to centrally insert the screw into the thread.
- › The powerful, permanent holding magnet even fixes large screws in the socket and the screw can be directly screwed in with one hand.
- › The 1990 M / 3090 M can also be extended to the required length with other extensions.
- › The product carries the Made in Germany label and won the 2014 Innovation Prize.



3090 M EXTENSION 3/8" with magnet

NEW

- › The holding magnet securely fixes the screws in the socket
- › One-hand operation - using the socket the screw can be immediately screwed in
- › Thanks to a spring mechanism the holding magnet is always in direct contact with the screw head. It ensures that the screw is centrally guided
- › A strong permanent magnet keeps hold of even large screws

HIGHLIGHT

€16,90
excl. VAT

 Ω 

	■ " "	■ ■	■ mm ■	Code	No.
	3/8	10	65	2960060	3090 M

1990 M EXTENSION 1/2" with magnet

- › The holding magnet securely fixes the screws in the socket
- › One-hand operation - using the socket the screw can be immediately screwed in
- › Thanks to a spring mechanism the holding magnet is always in direct contact with the screw head. It ensures that the screw is centrally guided
- › A strong permanent magnet keeps hold of even large screws

€18,90
excl. VAT

EISEN 2014
INNOVATION-AWARD

WINNER



	■ " "	■ ■	■ mm ■	Code	No.
	1/2	12.5	81.5	2697920	1990 M

IN 19 PM SCREWDRIVER BIT SOCKET SET 1/2"

9 pieces

- > For in-hex screws

HIGHLIGHT

€59,90
excl. VAT



12,5 $\frac{1}{2}$ \bigcirc mm

Sockets	Code	No.
● IN 19 5 6 7 8 9 10 12 14 17	1.362 6156250	IN 19 PM

INX 19 PM SCREWDRIVER BIT SOCKET SET 1/2"

9 pieces

- > For slotted, cross-head and multi-point screws

€79,00
excl. VAT



12,5 $\frac{1}{2}$

Sockets	Code	No.
● INX 19 5 6 8 10 12	6150050	INX 19 PM
⊕ IKS 19 2 3		
⊖ IS 19 12 16		

32 EMU-2 SOCKET SET 3/4"

14 pieces

- > With forged, tempered hexagon UD profile sockets, hand-operated
- > With accessories made from GEDORE vanadium steel 31CrV3
- > With fine toothed, dial change ratchet

€289,00
excl. VAT



20 $\frac{3}{4}$

Ratchet	Sockets	Accessories	Code	No.
● U-2	○ 32 22 24 27 30 32	3287	11.6 6280340	32 EMU-2
3293 U-2	36 38 41 46 50	3290-		

D 21 EMU-10 SOCKET SET 1"

15 pieces

- > With forged, tempered UD profile sockets, hand-operated
- > With accessories made from GEDORE vanadium steel 31CrV3
- > With reversible lever change ratchet

€719,00
excl. VAT



25 $\frac{1}{2}$ \bigcirc mm

Ratchet	Sockets	Accessories	Code	No.
● U-10 K	○ D 21 36 41 46 50	2190-	6181600	D 21 EMU-10
U-10 K	55 60 65 70 75 80	8 -16		

2187 G
2187 K

7 UR-005

COMBINATION RATCHET SPANNER SET, REVERSIBLE

5 pieces

- › Ring 13° offset from shaft
- › UD profile
- › High torque transfer
- › Dimensions: 275 x 150 x 42 mm

€89,00
excl. VAT



Schlüsselknaarre®
R-Serie

Contents	Code	No.
Ø mm 7 UR 8 10 13 17 19	0.930 2327651	7 UR-005

666-032-J

BIT BOX INDUSTRY

32 pieces

- › Specially adapted for use in modern industrial undertakings
- › 1/4" bit holder with quick-grip system

HIGHLIGHT

€16,90
excl. VAT

NEW

7 R-012

COMBINATION RATCHET SPANNER SET

12 pieces

- › Flat pattern
- › UD profile
- › High torque transfer
- › Dimensions: 320 x 210 x 55 mm

HIGHLIGHT

€149,00
excl. VAT



Schlüsselknaarre®
R-Serie

Contents	Code	No.
Ø mm 7 R 8 9 10 11 12 13 14 15 16 17 18 19	2.840 2297442	7 R-012



6.3 $\frac{1}{4}$ "

Contents	Code	No.
⊕ PH 1 (1x) PH 2 (3x) PH 3 (1x) ⊕ TORX® T10 (2x) T15 (2x) T20 (2x) T25 (3x) T27 (1x) T30 (3x) T40 (2x) ● 3 (1x) 4 (2x) 5 (2x) 6 (2x) ● XZN M4 (1x) M5 (1x) M6 (1x) M8 (1x) Adapter 1/4"-1/4"	0.246 2993228	666-032-J



6.3 $\frac{1}{4}$ "

Contents	Code	No.
⊖ 4,5 (1x) 5,5 (2x) 6,5 (1x) ⊕ PH 1 (2x) PH 2 (3x) PH 3 (1x) ⊕ PZ 1 (2x) PZ 2 (4x) PZ 3 (1x) ⊕ TORX® T10 (1x) T15 (1x) T20 (2x) T25 (3x) T30 (2x) T40 (1x) ● 3 (1x) 4 (1x) 5 (1x) Adapter 1/4"-1/4"	0.246 2993236	666-032-A

NEW

666-006

BIT BOX NUT SETTER

6 pieces

- > Magnet-equipped sockets for screwing hexagon bolts in and out without any damage
- > Particularly suitable for self-tapping screws
- > Contents per unit: Sockets 1/4" machine mounting Sizes 7 8 10 12 13 mm and 3/8"

€22,90
excl. VAT

63 1/4

0,228

Code
2993244No.
666-006

TORCOFLEX: Complete check for assured screwed connections in the workshop

- > Greater safety and checking with controlled screw tightening:
- > The TORCOFLEX 3549 UK and 3550 UK torque wrenches (robust workshop series) are calibrated to a permitted variation of +/- 3 % and less. They thus clearly surpass the customary +/- 4 % standard.
- > They also have a release system providing a clearly tactile and audible signal when the set torque is obtained.
- > The adjustable torque wrenches cover the entire 1 to 550 N·m range. They are additionally fitted with an integrated lever/change ratchet function (anticlockwise, clockwise and 0-position) and a magnified inspection window – the ideal workshop wrench, in fact.



3549 UK - 3550 UK TORQUE WRENCH TORCOFLEX UK

NEW

HIGHLIGHT

from
€109,00
 excl. VAT

- › Adjustable, releasing and sturdy tubular torque wrench with integrated lever ratchet and with square drive for industry and the trades
- › Classified to DIN EN ISO 6789:2003 Type II Class A, with a factory certificate.
- Working accuracy: +/- 3 % tolerance of scale set torque.
- › For controlled directional tightening



N·m	■ "	■ mm	■ mm	■ mm	■ kg	Code	No.	excl. VAT*
1-5	1/4	6,3	225,0	0,25	25,0	15	0,32 2958007	3549-00 UK 119,00
5-25	1/4	6,3	285,5	1	25,0	15	0,41 2958015	3549-02 UK 119,00
10-50	3/8	10,0	348,5	2,5	35,0	18	0,48 2958023	3549-05 UK 115,00
20-100	1/2	12,5	408,8	5	42,5	22	0,99 2958031	3550-10 UK 109,00
40-200	1/2	12,5	499,8	10	42,5	22	1,16 2958058	3550-20 UK 109,00
60-300	1/2	12,5	590,8	10	42,5	22	1,36 2958066	3550-30 UK 139,00
80-400	3/4	20,0	737,5	10	68,0	36	2,10 2958074	3550-40 UK 279,00
110-550	3/4	20,0	998,0	10	68,0	36	3,70 2958082	3550-55 UK 329,00

8571-01 TORQUE WRENCH DREMOMETER

520-1000 N·m / 380-730 lbf·ft

€749,00
 excl. VAT

- › Working accuracy: +/- 3 % tolerance of scale set torque
- › Full-metal construction from high-strength aluminium alloy
- › With 3/4" single square drive for directional tightening
- › Delivery includes test certificate acc. to DIN EN ISO 6789



Type	■ "	■ mm	■ mm	■ mm	■ kg	Code	No.
DX	3/4	20	800-1400	10 N·m / 10 lbf·ft	5.6	7694010	8571-01



TT3KH 120 ELECTRONIC TORQUE WRENCH TORCOTRONIC III 1/2"

10-120 N·m

€759,00
 excl. VAT

- › Microprocessor-controlled, electronic torque wrench
- With 1/2" reversible ratchet. The ratchet is exchangeable, providing the option of using a 9x12 mm square socket
- › For controlled bi-directional tightening
- › **Torque and torque angle measure**
- › Robust workshop design
- › Test certificate acc. to DIN EN ISO 6789:2003 Type I Class C



■ "	■ mm	N·m	lbf·ft	■ kg	Code	No.
1/2	12,5	9 x 12	10-120	7,4-88,5	0,9	2648636


DVI-28Z

TORQUE MULTIPLIER DREMOPLUS ALU

€999,00
excl. VAT



- > Mechanical hand torque multiplier for controlled screw tightening and unloosening screw connections
- > With a single-stage planet gear
- > High-performance aluminium housing
- > Multiplication at the ratio of 1:5.5
- > Guaranteed accuracy: Better than +/- 3 % tolerance
- > With Z-form, offset reaction arm of chrome-vanadium steel



	max. N·m-Output	max. lbf·ft-Output	•:•	□ "C	■ "D	C _{min}	C _{max}	max. N·m-Input	max. lbf·ft-Input	Code	No.
2800	2050	1:5,5	3/4	1	100	150	550	410	3,9	2653273	DVI-28Z

8612-300

ELECTRONIC TORQUE TESTER DREMOTEST E

9-320 N·m / 7-236 lbf·ft

- > For vertical testing and verifying clockwise torque wrenches in the range of 9-320 N·m
- > With fixed hexagon female drive, 17 mm
- > With 3/8" and 1/2" square drive adaptors, 17 mm
- > Auto reset: Can be switched from N·m to lbf·ft
- > Serial interface RS232



€629,00
excl. VAT

N·m	lbf·ft	∅	Resolution	Adaptor	Code	No.
9-320	7-236	17.0	0,1	3/8", 1/2"	3.0	1856111

**Distinguished:
GEDORE 3C-Screwdriver
with striking cap**

- > In the field of product design, the "made by GEDORE" screwdrivers more than appealed thanks to their excellent design and independent design language:
- > The 3K screwdrivers for slotted head screws consist of the ergonomic 3-component Power Grip with striking head for precise, fatigue-free use.
- > The positive connection fit between handle and blade ensures an optimum transfer of power and makes it easier to tighten and loosen very stiff screws.



2163 TXB-05 3C-SCREWDRIVER SET

5 pieces

- For recessed TORX® head screws with pilot

€19,90
excl. VAT



Contents	Code	No.
⊖ 2163 TXB T10 T15 T20 T25 T30	0.440 1616617	2163 TXB-05

SK 2154 PH-06 3C-SCREWDRIVER SET WITH STRIKING CAP

6 pieces

- For firmly seated slotted and cross-head screws PH
- Blade with hexagon bolster

€26,90
excl. VAT




Contents	Code	No.
⊖ 2154SK 4,5 5,5 6,5 8	0.880 1878743	SK 2154 PH-06
⊕ 2160SK PH 1 2		

2150-2160 PH-06 3C-SCREWDRIVER SET

6 pieces

- For slotted and cross-head screws PH

HIGHLIGHT
€14,90
excl. VAT



Contents	Code	No.
⊖ 2150 4 5,5 6,5 8	0.660 1482319	2150-2160 PH-06
⊕ 2160 PH 1 2		

2150-2160 PZ-06 3C-SCREWDRIVER SET

6 pieces

- For slotted and cross-head screws PZ

€17,90
excl. VAT




Contents	Code	No.
⊖ 2150 4 5,5 6,5 8	0.670 1482300	2150-2160 PZ-06
⊕ 2160 PZ 1 2		

2150-2160 PH-010 3C-SCREWDRIVER SET

10 pieces

- For slotted and cross-head screws PH

€29,90
excl. VAT



Contents	Code	No.
⊖ 2150 3 4 5,5 6,5 8	0.825 1482343	2150-2160 PH-010
⊖ 2153 5,5		
⊕ 2160 PH 1 2		
⊕ 2161 PH 1		
⊖ 4615 3,5		

Ergonomic and resilient

- The 6-piece GEDORE cranked screwdriver has the new T handles in a 2-component design and with optimized ergonomics for a better transfer of force.
- The DT 2142 type has a double blade with the longer one provided with a ball end.
- The blades are of GEDORE 61CrSiV5 vanadium steel and guarantee maximum torques.
- The set includes the 6 most popular cranked screwdrivers of sizes 2.5 to 8 mm and is a MUST-HAVE for each and every workshop.



NEW

DT 2142-06 HEXAGON ALLEN KEY SET

6 pieces

- For in-hex screws
- With 2 hexagons, same size each end
- Long blade with ball end



HIGHLIGHT

€29,90
excl. VAT

Contents	Code	No.
● DT 2142 2,5 3 4 5 6 8	0.595 2998777	DT 2142-06

H 42 DKEL-88 HEXAGON ALLEN KEY SET

for in-hex screws,
extra long,
with double ball end

- Particularly suitable for confined spaces in view of a double ball end and short angled side
- GEDORE vanadium steel 59CrV4, zinc-plated

€29,90
excl. VAT



Contents	Code	No.
● mm 42 DKEL 2 2,5 3 4 5 6 8 10	0.400 2797186	H 42 DKEL-88

H 42 KEL-88 HEXAGON ALLEN KEY SET

for in-hex screws,
extra long,
with ball end

€19,90
excl. VAT

- In blue plastic holder (LPDE)
- GEDORE vanadium steel 59CrV4, chromated



Contents	Code	No.
● mm 42 KEL 2 2,5 3 4 5 6 8 10	0.415 1523988	H 42 KEL-88

8248-160 JC ANGLED COMBINATION PLIERS

- For all wires including piano wire
- Optimum utilisation of the power in one's hands, no forced positioning of the hand**

=

€19,90
excl. VAT

=

L	L ₃	W ₃	W ₄	T ₁	Code	No.
165	46	24	6	10	0.245 2276585	8248-160 JC



8133-200 JC MULTIPLE PLIERS

- › Sin1: Holding, cutting, insulation-stripping, crimping, squeezing

€23,⁹⁰
excl. VAT



I-mm-I	Code	No.
200	2676079	8133-200 JC




8316-200 JC POWER SIDE CUTTER

- › Good lever action for easy cutting
- › For hard wire/piano wire

€22,⁹⁰
excl. VAT



L	L ₁	W ₃	T ₁	Ø	Code	No.	excl. VAT
200	22.0	28.0	11.0	2,0	6745080	8316-200 JC	



8132-200 JC TELEPHONE PLIERS


with wire cutter, serrated,
straight pattern

- › Long, flat-round jaws, straight gripping faces, serrated
- › For holding, gripping, bending and cutting

€16,⁹⁰
excl. VAT



L	L ₁	W ₃	W ₄	T ₁	T ₂	Ø _{kg}	Code	No.	excl. VAT
200	75.7	18.5	3.7	9.5	2.8	0.225	6719670	8132-200 JC	



8250 JC POWER COMBINATION PLIERS

- › Good lever action for easy cutting

**from
€17,⁹⁰**
excl. VAT



L	L ₁	W ₃	W ₄	T ₁	Ø _{kg}	Code	No.	excl. VAT
180	38.5	25.6	6.5	11.0	0.282	6707070	8250-180 JC	17,90
200	39.5	27.0	6.5	12.4	0.360	6707310	8250-200 JC	18,90

8314 JC SIDE CUTTER

Swedish pattern

- › With slender head - ideal for confined spaces
- › For medium-hard wire
- › **max. cutting capacity 1.6 Ø mm**

**from
€15,⁹⁰**
excl. VAT



L	L ₁	W ₃	T ₁	Ø	Ø _{kg}	Code	No.	excl. VAT
160	19.0	22.0	10.0	1,6	0.230	6743380	8314-160 JC	15,90
185	25.0	26.0	11.0	1,6	0.300	2910934	8314-180 JC	18,90

8132 AB-200 JC

BENT NOSE TELEPHONE PLIERS

with wire cutter, serrated,
angled pattern

- › Flat-round jaws, angled gripping faces, serrated
- › 45 ° angled tips make gripping round the corner possible

€21,⁹⁰
excl. VAT



L	L ₁	W ₃	W ₄	T ₁	T ₂	Ø _{kg}	Code	No.	excl. VAT
200	70.5	18.5	3.7	9.5	2.8	0.225	6721300	8132 AB-200 JC	


8000 AE 0 - AE 4

CIRCLIP PLIERS

FOR EXTERNAL RETAINING RINGS

Form A

- > For safety rings as per DIN 471, DIN 983
- > DIN 5254 Form A
- > Straight jaws
- > Inside-positioned opening spring
- > **Pressed-in tips of highly wear-resistant roller bearing steel**
- > Twisting-impeding tip geometry
- > Screwed joint connection



● mm	● "inch	L	L ₂	d	Code	No.	excl. VAT
3-10	5/32-3/8	144	39	0,9	0,090	2930633	8000 AE 0 11,80
10-25	3/8-1	145	39	1,3	0,095	2930668	8000 AE 1 11,30
19-60	3/4-2.3/8	183	57	1,8	0,180	2923602	8000 AE 2 11,80
40-100	1.5/8-4	230	68	2,3	0,310	2930676	8000 AE 3 14,60
85-140	3.3/8-5.1/2	332	95	3,2	0,590	2930684	8000 AE 4 22,90

NEW

HIGHLIGHT

from
€11,30,
excl. VAT

8000 AE 01 - AE 41

CIRCLIP PLIERS

FOR EXTERNAL RETAINING RINGS

Form B

- > For safety rings as per DIN 471, DIN 983
- > DIN 5254 Form B
- > 90° angled jaws
- > Inside-positioned opening spring
- > **Pressed-in tips of highly wear-resistant roller bearing steel**
- > Twisting-impeding tip geometry
- > Screwed joint connection



● mm	● "inch	L	L ₂	d	Code	No.	excl. VAT
3-10	5/32-3/8	133	27	0,9	0,090	2930692	8000 AE 01 12,80
10-25	3/8-1	133	27	1,3	0,095	2930706	8000 AE 11 12,30
19-60	3/4-2.3/8	170	44	1,8	0,180	2930714	8000 AE 21 13,30
40-100	1.5/8-4	217	54	2,3	0,310	2930730	8000 AE 31 15,50
85-140	3.3/8-5.1/2	311	74	3,2	0,590	2930749	8000 AE 41 25,90

NEW

HIGHLIGHT

from
€12,30,
excl. VAT

8000 JE 0 - JE 4

CIRCLIP PLIERS

FOR INTERNAL RETAINING RINGS

Form C

- > For safety rings as per DIN 472, DIN 984
- > DIN 5256 Form C
- > Straight jaws
- > **Pressed-in tips of highly wear-resistant roller bearing steel**
- > Twisting-impeding tip geometry
- > Screwed joint connection



○ mm	○ "inch	L	L ₂	d	Code	No.	excl. VAT
8-13	3/8-9/16	139	41	0,9	0,090	2930757	8000 JE 0 10,95
12-25	3/8-1	139	41	1,3	0,090	2930765	8000 JE 1 10,95
19-60	3/4-2.3/8	182	54	1,8	0,160	2930773	8000 JE 2 11,90
40-100	1.5/8-4	230	68	2,3	0,280	2930781	8000 JE 3 13,90
85-140	3.3/8-5.1/2	324	86	3,2	0,550	2930803	8000 JE 4 20,95

NEW

HIGHLIGHT

from
€10,95,
excl. VAT

8000 JE 01 - JE 41

CIRCLIP PLIERS FOR INTERNAL RETAINING RINGS

Form D

› For safety rings as per DIN 472, DIN 984


› DIN 5256 Form D

› 90° angled jaws

› **Pressed-in tips of highly wear-resistant roller bearing steel**

› Twisting-impeding tip geometry

› Screwed joint connection



O_mm	$\text{O}_\text{"inch}$	L	L_d	$\frac{\text{kg}}{\text{kg}}$	Code	No.	excl. VAT	
8-13	3/8-9/16	129	30	0,9	2930811	8000 JE 01	11,90	
12-25	3/8-1	129	30	1,3	0,090	2930838	8000 JE 11	11,90
19-60	3/4-2.3/8	170	43	1,8	0,160	2930846	8000 JE 21	11,90
40-100	1.5/8-4	217	53	2,3	0,280	2930854	8000 JE 31	13,90
85-140	3.3/8-5.1/2	310	70	3,2	0,550	2930862	8000 JE 41	22,50

S 8000 E

SET OF CIRCLIP PLIERS

4 pieces

› Most popular sizes, packed

› Pressed-in tips of highly wear-resistant roller bearing steel


› Twisting-impeding tip geometry

› For internal and external circlip rings

› With straight and 90 ° angled tips



Contents	$\frac{\text{kg}}{\text{kg}}$	Code	No.
8000 AE 2	0.680	2931877	S 8000 E
8000 AE 21			
8000 JE 2			
8000 JE 21			



8320 JC

WIRE ROPE CUTTER

› Extremely high durability compared to traditional wire rope cutters

› Wire ropes up to 1800 N/mm² with max. 6 mm Ø

› (e.g. stainless steel wire ropes, wire ropes with steel and textile cores, Bowden cables, shears)

› Wire up to 750 N/mm² with max. 4 mm Ø

› (e.g. nails/wire nails, screws, bolts, ceiling banners)

› Single- and multi-core copper and aluminium cables with max. 6 mm Ø

› Two integrated press profiles for Bowden cable terminal sleeves and cable end sleeves

› Adjustable joint for precise cutting plate guidance

› Latch to prevent unwanted opening

› **Easy-to-change cutting plates**

€68,90
excl. VAT




mm	Code	No.
200	2788799	8320-200 JC

142 TL UNIVERSAL PLIERS

- Opening width adjustable with 15/17 settings using a push-button
- Single-hand adjustment - secure locking - no unintentional readjustment

from
€17,90
excl. VAT

Execution	L"	Code	No.	excl. VAT
17 settings	7	0.183 2668211	142 7 TL	17,90
15 settings	10	0.371 6416180	142 10 TL	18,90
17 settings	12	0.550 1995413	142 12 TL	28,90



100 1.1/2 ELBOW PIPE WRENCH ECK-SCHWEDE-SNAP® - THE SWEDISH

- Heavy-duty pipe wrench with three-point grip
- Teeth offset against direction of rotation and induction-hardened
- Adjuster screw cannot be lost

€54,90
excl. VAT




Size	mm	L	Code	No.
1.1/2	60	420	1.400 4500220	100 1.1/2

137 GRIP WRENCH

- With adjusting screw and release lever
- Special jaw shape for secure gripping, clamping and holding

from
€14,90
excl. VAT



1102-003 PLIERS SET

3 pieces

- Practical set composition
- In GEDORE L-BOXX® Mini, incl. divider set
- Ideal for keeping small parts and accessories

€52,50
excl. VAT



Contents	Code	No.
8132-160 JC	0.940 1692305	1102-003
8250-180 JC		
8316-160 JC		

1102-007 PLIERS SET

3 pieces

- Practical set composition
- In GEDORE L-BOXX® Mini, incl. divider set
- Ideal for keeping small parts and accessories

€57,90
excl. VAT



NEW

1102-008 PLIERS SET

3 pieces

- Practical set composition
- In GEDORE L-BOXX® Mini, incl. divider set
- Ideal for keeping small parts and accessories

€62,50
excl. VAT



Contents	Code	No.
8132-200 JC	1.201 2951789	1102-007
8314-180 JC		
142 7 TL		

Contents	Code	No.
8316-160 JC	0.977 2951797	1102-008
8133-200 JC		
142 7 TL		

Power pack for maximum performances in pulling work

- › A feature of the 1.04/HP "High Power" puller made by GEDORE is its extreme strength and fail-safeness.
- › The two-arm universal puller for centred and force-optimized work is now also available with a practical stand as a set of three.
- › The included pullers can withstand 5 t, 10 t and 15 t loads and cover a total spread range of 0 to 420 mm – **100 mm more** than comparable puller sets.
- › Thanks to their forged, reinforced bending moment cross-beam, strong force arms and additional thermal finish, GEDORE 1.04/HP pullers are **up to 76 % stronger** than comparable products.
- › This predestines them for maximum performances even when subject to multi-ton loads as arise, for instance, when pinions, cog wheels, ball bearings and bushes are changed in industry, with utility vehicles and in agriculture.

1.04/ST-HP-B PULLER SET with stand

- › Cross-beam especially hardened and tempered allows safe application of extremely high pulling forces and doubles the tensile force capability
- › Strong drop forged pattern
- › Rigid legs forged from one piece
- › Leg brake - prevents unintentional leg slipping. The leg can be slid along the cross-beam at the push of a button
- › Scale for uniform adjustment of the puller legs. Allows centred pulling, with optimised application of force, even when extremely high pulling forces are required

Contents

	Code	No.
1.04/HP1A-B	15,2 2300044	1.04/ST-HP-B
1.04/HP2A-B		
1.04/HP3A-B		


Specifications

No.	Code	a ₁ min	a ₂ max	b	max. t	max. mm	optional	c	d	e	max. mm	kg	
1.04/HP1A-B	1981145	130	70	170	100	5,0	M	17	–	22	15	3,0	x 1,2
						14x1,5 x 140							
1.04/HP2A-B	1981153	200	110	260	150	10,0	G 1/2 x 210	22	1.06/HSP1	30	24	3,5	x 3,4
1.04/HP3A-B	1981161	350	150	420	200	15,0	G 3/4 x 280	27	1.06/HSP2	36	32	5,0	x 7,7

HIGHLIGHT

€398,00

excl. VAT



1.11 PULLER 3-arm pattern

€52,90

excl. VAT

- › The reliable, heavy-duty model for the removal of pulleys, wheels, ball bearings, etc.
- › The double leg ends, wide or narrow, grip automatically
- › The wide leg ends of the puller 1.11/2, /3, /4 and /5 possess 8 mm slots, so that pulleys or gears may also be pulled off using 8 mm bolts




a _{max}	b	max. t	max. mm	optional	c ₁	c ₂	d	e	kg	Code	No.	excl. VAT	
90	80	3,0	M 14x1,5 x 125	17	–	17	10	7	2,0	0,9	8002950	1.11/1	52,90
220	170	7,5	M 18x1,5 x 170	19	–	24	20	13	3,0	3,2	1731904	1.11/3	99,90
400	320	12,0	G 1/2 x 350	22	1.06/HSP1	27	32	27	6,5	8,0	1731920	1.11/5	189,00

1.13 BATTERY-TERMINAL PULLER

3-arm pattern

- > Ideal for removing small parts such as battery terminals, pulleys, wheels, ball bearings, etc.
- > The legs grip automatically

€19,90
excl. VAT



a _{max}	b	max. t	c	d	e	Code	No.	excl. VAT
60	40	0.75	M 10x1,5 x 60	10	5	2	0.200	8004650
70	80	1.0	M 10x1,5 x 100	14	8	2	0.400	1628410



1.62 WHEEL-HUB PULLER for trucks

- > For wheel stud circles from 150 up to 350 mm
- > With wheel stud protection using rotating nut apertures that always lie flat to the hub for Ø 22 mm and suitable reduction bushing Ø 14 and 18 mm
- > This tool may also be used with the hydraulic aid without requiring a reduction bushing




€278,00
excl. VAT

No. of legs	c	Ø mm	optional	Code	No.
8	G 1 x 310	36	1.06/HSP3	12.6	8026030

1.72 BALL JOINT PULLER

- > For the simple and damage-free removal of ball pins on track rods and push rods

from
€69,80
excl. VAT



a	b	c	c	mm	kg	Code	No.	excl. VAT
40	80	80	G 1/2 x 140	22	2.160	2183323	1.72/4A	69,80
46	100	90	G 3/4 x 160	27	2.780	2183331	1.72/5A	126,00



1.76/1 CARTRIDGE SPANNER

3-arm pattern

- > Especially suitable for removing firmly seated granulate cartridges of compressed air dryers on HGV, with right-handed or left-handed thread
- > Great clamping reach (from 95 to 165 mm)
- > Drive 1/2"



€38,70
excl. VAT

mm	1/2"	Code	No.
95-165	1/2	12.5	1.76/1


1.35/2 SLIDING HAMMER

- > Suited for the removal of small ball bearings since there is often not enough room for counter-support braces

for internal extractors	M	with adaptor	mm	mm	Sliding surface	Impact weight in g	kg	Code	No.
1.30/0 - 1.30/9	M 14x1,5	M10	24	520	340	1700	3.030	8039010	1.35/2




€59,80
excl. VAT



1.41 SEPARATOR AND PULLER SET

- Set comprising separator, puller, and extension rods
- For removing taper roller and ball bearings, inner bearing races, and other tightly-seated or thin-walled parts

from
€149,00
excl. VAT



		kg	Code	No.	excl. VAT
12-75	280	5.2	8109830	1.41/1	149,00
22-115	295	9.0	8109910	1.41/2	229,00



1.85/1 PROFESSIONAL PLASTIC BEARING INSTALLATION SET

- The impact-resistant plastic is handily light, but just as robust as the metal variants
- Using this bearing installation set more than 200 types of bearings may be re-installed effortlessly and without damage

€498,00
excl. VAT



kg	Code	No.
5.2	1120778	1.85/1

1101-1.29/3K BALL BEARING EXTRACTOR SET

in i-BOXX® 72

- Ball bearing extractor set for more than 40 ball bearings
- For removing ball bearings that are both on a shaft and in a housing
- Non-destructive removal of deep-groove ball bearings without dismantling the shaft; no necessity to drill open the bearing cage (no chippings)
- With Check-Tool insert for quick check of completeness
- Insert for use in drawers with min. dimensions 340 x 260 x 60 mm
- In GEDORE i-BOXX® 72 No. 1101 L

HIGHLIGHT


€498,00
excl. VAT



1.81/20 SET OF THREADED INSERTS

for 1-hole and 2-hole uses, 2 each

- The threaded inserts make the removal of threaded caps, for example, possible, when these possess one or two threaded holes
- For separator puller 1.38/2



€109,00
excl. VAT

for ball bearing No.	Contents	kg	Code	No.
6000 6001 6002 6003 6004 6005	4 Heads with spindle	5.780	2964392	1101-1.29/3K
6006 6007 6008 6009 6010 6011	no. 1.29/1 - 1.29/5			
6012 6200 6201 6202 6203 6204	7 Heads with			
6205 6206 6207 6208 6209 6210	spindle no. 1.29/10 -			
6211 6212 6213 6300 6301 6302	1.29/45			
6303 6304 6305 6306 6307 6308	1 Handle no. 1.29/0			
6309 6310 6311 6403 6404 6405				
6406 6407				




Connecting thread	kg	Code	No.
M14x1,5 - M8	1.222	1120751	1.81/20
M14x1,5 - M10			
M14x1,5 - M12			
M14x1,5 - M14			
M14x1,5 - M16			
M14x1,5 - M18			

136 K CHAIN GRIP WRENCH

- Particularly suited for clamping geometrically problematical cross-sections
- With No. 136 K-105 the legs of various pullers - following locking - can be spanned with the chain at the component to be extracted and tightened. This stops the legs bending outwards and slipping. Pulling is still possible even if the legs have a very restricted contact surface

€49,90

excl. VAT




max. Ø	mm	"inch"	Code	No.	excl. VAT
330	1050	1,5	2307227	136 K-105	

D 55 SPARK PLUG SOCKET 3/8"

UD profile

- With retention spring



€15,85

excl. VAT


O mm	□ "	L	t	a	d	kg	Code	No.	excl. VAT
14	3/8	10	63.5	7.0	22.5	0.068	1793586	D 55	

52 MH - 59 MH SPARK PLUG SOCKET

with magnet

- With two magnets

10 3/8 Ω



O mm	O "AF	□ "	L	a ₁	a ₂	d	kg	Code	No.	excl. VAT
20.8	13/16	3/8	64	7	30.5	27.5	0.146	6361500	52 MH	14,25
16.0		3/8	64	7	30.5	21.5	0.100	6363390	53 MH	16,50
18.0		3/8	64	7	30.5	23.5	0.137	6361850	56 MH	17,90
13.0		3/8	64	7	30.5	18.0	0.074	6366220	59 MH	21,00

38 TYRE LEVER

from
€7,20
excl. VAT



mm	"inch"	Code	No.	excl. VAT
200	8	6332320	38 8	7,20
400	16	6332670	38 16	12,70

39 TYRE LEVER heavy-duty pattern

€25,95
excl. VAT



mm	"inch"	kg	Code	No.	excl. VAT
610	24	1.365	6333050	39	

648 SPARK PLUG BRUSH

- With plastic handle and brass wire bristles

€1,95

excl. VAT



mm	Bristle length	kg	Code	No.
100	14	0.009	6532090	648

52 MH - 59 MH SPARK PLUG SOCKET

with magnet

- With two magnets

10 3/8 Ω



from
€14,25
excl. VAT

702

FEELER GAUGE SET, FAN PATTERN

With protective handle, folding, blade length 100 mm
Handle nickel-plated

from
€3,00
excl. VAT



	Code	No.	excl. VAT
5 10 15 20 25 30 40 50/100	6547520	702 8 M	3,00
5 10 15 20 25 30 40 50 60	6547790	702 13 M	4,25
70 80 90 100/100			
10 12 14 16 18 20 22 24 26 28	6547950	702 21 M	9,50
30 32 34 36 38 40 42 44 46 48 50/100			

8276

BALANCE WEIGHT PLIERS

For removing, cutting, and attaching balancing weights

€39,50
excl. VAT



mm	"inch"	Code	No.
250	10	6739350	8276-250 C

135

BRAKE SPRING PLIERS

€31,50
excl. VAT



mm	"inch"	Code	No.
330	13	6405300	135 13

135

BRAKE SPRING PLIERS

heavy-duty pattern

€69,80
excl. VAT



mm	"inch"	Code	No.
500	20	6400180	135 20

643

BRAKE CALIPER BRUSH

€9,35
excl. VAT



mm	Bristle length	Code	No.
225	21	6531440	643

36 1-140

STRAP WRENCH

With strong, non-slip fabric strap,
extra wide = 25 mm

€16,90
excl. VAT



mm	"inch"	mm	Code	No.
140	5 1/2	220	6327320	36 1-140

640-1800 MAGNETIC LIFTER

- › With flexible shaft and plastic handle
- › Bright nickel-plated

€26,95
excl. VAT



Ω

Ø mm	Diameter of magnet	Ø	Code	No.
520	12.0	1800	6531280	640-1800

248 ST-50 RECOILLESS HAMMER

- › Splinter-proof, shatter-proof and wear-resistant polyamide heads
- › "Dead blows" with no recoil reduces stress on muscles, nerves and wrists

€29,90
excl. VAT



Ø mm	Ø mm	Code	No.
50	310	8829250	248 ST-50

121-3 SUCTION CUP LIFTER

with 3 cups

- › Increased lifting safety with three fixed suction cups
- › Lifting capacity 100 kg

€123,00
excl. VAT



Ø	Code	No.
120	6390790	121-3

642 SP MAGNETIC LIFTER

with lamp, mirror and clip

- › For searching and lifting small metal parts in confined areas
- › If necessary, the magnet can be removed
- › Mirror diameter 30 mm

€79,90
excl. VAT



Ω

Ø mm	Diameter of magnet	Ø	Code	No.
500	12	350	6536750	642 SP

710 POCKET VERNIER CALLIPER

- › DIN 862, Form A 2
- › Graduated in mm and inches, vernier 1/20 and 1/128"

€49,90
excl. VAT



Ø mm	mm	"inch	Code	No.
213	140	5 1/2	6555030	710

905 CREEPER

€54,95
excl. VAT

- › Resistant to oil, grease and brake fluid
- › Carrying capacity: 130 kg



L	W	H	Code	No.
1030	480	115	1823698	905

8551 TG TAP WRENCH WITH RATCHET

- › To operate bolt extractors in confined spaces
- › Reversible for clockwise or counterclockwise operation
- › Sliding T-handle
- › With two-jaw chuck to hold square shanks

mm	M	mm	Code	No.	excl. VAT
2,0-5,0	M3-M8	85	2659433	8551 TG-1	9,25
4,6-8,0	M5-M12	110	2659441	8551 TG-2	12,95
9,0-12,5	M13-M20	117	2659468	8551 TG-3	63,90



from
€ 9,25
excl. VAT

8551 S-005 BOLT EXTRACTOR SET 5 pieces

- › For removing broken screws, bolts and tube ends

€14,95
excl. VAT



Contents	M	Code	No.
8551 S 1 2 3 4 5	M3-M18	2659336	8551 S-005

K 19-028 IMPACT SOCKET SET 1/2" 5 pieces

- › 5 impact sockets, machine-operated, suitable for all standard electric and air tools
- › Square drive as per DIN 3121 - G 12.5, ISO 1174
- › GEDORE special steel, gun-metal finish
- › In black plastic case

€29,90
excl. VAT



Sockets	Code	No.
Ø 10 13 17 19 24	0,749 1646923	K 19-028

K 19 LS-004 IMPACT SOCKET SET 1/2" 4 pieces

- › 4 impact sockets, machine-operated, suitable for all standard electric and air tools
- › Thin-walled to protect the alloy wheels

€41,30
excl. VAT



12,5	1/2"	Sockets	Code	No.
Ø K 19 LS	17 19 21 22	2790831		K 19 LS-004

K 32-040 IMPACT SOCKET SET 3/4" FOR TRUCKS 4 pieces

- › 4 sockets, machine-operated, suitable for all standard electric and air tools
- › Square drive as per DIN 3121 - H 20, ISO 1174
- › GEDORE special steel, gun-metal finish
- › In black plastic case

€59,90
excl. VAT



Sockets	Code	No.
Ø 24 27 30 33	1,630 1828142	K 32-040

8725 HALF-ROUND BLUNT FILE

- > DIN 7261, Form E
- > Cut: 2



L	L"	W	H	Cut	$\frac{\text{kg}}{\text{kg}}$	Code	No.
200	8	20	6.0	2	0.170	6770430	8725 2-8

€14,90
excl. VAT



8722 ROUND FILE

- > DIN 7261, Form F
- > Cut: 2



Ø	Cut	L	L"	$\frac{\text{kg}}{\text{kg}}$	Code	No.
7.5	2	200	8	0.112	6770190	8722 2-8

€9,95
excl. VAT



8719 TRIANGULAR FILE

- > DIN 7261, Form C
- > Cut: 2



L	L"	W	Cut	$\frac{\text{kg}}{\text{kg}}$	Code	No.
200	8	14	2	0.177	6769340	8719 2-8

€13,90
excl. VAT



8726 BRAKE CALIPER FILE

€29,95
excl. VAT

mm	"inch"	$\frac{\text{kg}}{\text{kg}}$	Code	No.
260	10	0.131	6770780	8726



645 FILE BRUSH

- > With carded cover and wooden handle
- > Bristle field 110 x 40 mm

€3,50
excl. VAT

mm	Bristle length	$\frac{\text{kg}}{\text{kg}}$	Code	No.
250	10	0.095	6531790	645



VDE 8132-160 H


VDE TELEPHONE PLIERS

with VDE insulating sleeves,
straight pattern

- › Long, flat-round jaws,
straight gripping surfaces

€14,50

excl. VAT



L	L ₃	W ₃	W ₄	T ₁	T ₂	Code	No.
160	50.0	16.5	3.2	9.0	2.5	1552112	VDE 8132-160 H

VDE 8250-180 H

VDE HEAVY DUTY COMBINATION PLIERS

with VDE insulating sleeves

- › For heavy continuous use
- › Good lever action for easy cutting
- › To cut all wire types including piano wire, 1.6 mm

€19,40

excl. VAT



L	L ₃	W ₃	W ₄	T ₁	Code	No.
180	38.5	25.6	6.5	11.0	1550950	VDE 8250-180 H

VDE 8131 AB

VDE MULTIPLE PLIERS

with VDE insulating sleeves, angled pattern

- › Cable cutter: enables easy cutting of cables up to 5x2.5 mm² resp. Ø 12 mm
- › Stripping blades: stripping possibility for wires 1,5 mm² and 2,5 mm²
- › Crimp profile: crimping of conductor end-sleeves
- › Toothing gripping face: special holding capacity when pulling cables and wires during installations
- › Angled plier tip: guarantees gentle work for wrists and gives sight on to the workpiece



mm	Code	No.
200	2910845	VDE 8131 AB-200 H

VDE 8314-160 H


VDE SIDE CUTTER

with VDE insulating sleeves

- › For medium-hard wire, 1.6 mm

€17,40

excl. VAT



L	L ₃	W ₃	T ₁	Ø	Code	No.
160	19.0	22.0	10.0	1,6	1552163	VDE 8314-160 H

VDE 8099 H

VDE STRIPPING PLIERS STRIP-FIX

with VDE insulating sleeves

- › Self-adjusting, for wires 0.5 - 5.0 mm²
- › V-shaped cutting jaws for stripping the plastic insulation of single- and multi-core conductors

€33,95

excl. VAT



mm	"inch"	mm ²	Code	No.
160	6.1/2	0,5-5	1552082	VDE 8099-160 H

NEW

VDE 8131 AB

VDE MULTIPLE PLIERS

with VDE insulating sleeves, angled pattern

- › Cable cutter: enables easy cutting of cables up to 5x2.5 mm² resp. Ø 12 mm
- › Stripping blades: stripping possibility for wires 1,5 mm² and 2,5 mm²
- › Crimp profile: crimping of conductor end-sleeves
- › Toothing gripping face: special holding capacity when pulling cables and wires during installations
- › Angled plier tip: guarantees gentle work for wrists and gives sight on to the workpiece



mm	Code	No.
200	2910845	VDE 8131 AB-200 H



HIGHLIGHT

€24,90


excl. VAT



VDE 2170-2160 PH-077 VDE SCREWDRIVER SET

7 pieces

€23,90
excl. VAT




DKE GS 1000 V

Contents	Code	No.
⊖ VDE 2170 2,5 4 5,5 6,5	1616048	VDE 2170-2160 PH-077
⊕ VDE 2160 PH 0 1 2		

Distinguished: GEDORE SLIM DRIVE screwdriver

- > The compact SLIM DRIVE VDE screwdrivers also have an ergonomic 3-component handle for precise, enduring and effort-saving work. The Red Dot design prize has been bestowed on them.
- > Thanks to the ultra-small blade diameters, you can even reach deep-down screws in screw shafts.
- > Which makes them ideal for use in confined available spaces.



VDE 2162-2172 PH-02 VDE SCREWDRIVER SET SLIM DRIVE

2 pieces



reddot award 2015
winner



DKE GS 1000 V

Contents	Code	No.
⊖ VDE 2172 3,5	2928736	VDE 2162-2172 PH-02
⊕ VDE 2162 PH 2		

VDE 2162-2172 PZ-06 VDE SCREWDRIVER SET SLIM DRIVE

6 pieces



reddot award 2015
winner



DKE GS 1000 V

Contents	Code	No.
⊖ VDE 2172 3,5 4 5,5 6,5	2928728	VDE 2162-2172 PZ-06
⊕ VDE 2162 PZ 1 2		

VDE 2162-2172 PM-06 VDE SCREWDRIVER SET SLIM DRIVE

6 pieces



reddot award 2015
winner



DKE GS 1000 V

Contents	Code	No.
⊖ VDE 2172 3,5 4 5,5	2928701	VDE 2162-2172 PM-06
⊕ VDE 2162 PH 1 2		
VDE 2164 SL/PH 2		

- > For slotted and cross-head screws PH as well as Plus-Minus screws
- > No problems in reaching screws deeply embedded in screw shafts

€29,90
excl. VAT

1100-1094**VDE TOOL ASSORTMENT HYBRID****53 pieces**

- The perfect range of tools for repairs and maintenance of hybrid and electric vehicles
- For vehicles of all the manufacturers
- All tools insulated on the basis of EN 60900/EC 60900
- GEDORE L-BOXX® 136 compatible with the Sortimo® vehicle interior fittings in your service mobile


10 3/8" GS 1000 V


Contents	Code	No.
VDE 30 6 8 9 10 11 12 13	2979063	1100-1094
14 15 16 17 18 19 20 22		
VDE INX 30 8 10 12		
VDE 3090-3 -6, VDE 3093 U		
VDE 2170 2,5 3,5 4 5,5		
VDE 2160 PH 1 2 3		
VDE 2163 TX T20 T25 T30		
VDE 8094, VDE 146 10		
VDE 8250-200 H		
VDE 8314-180 H		
VDE 8132 AB-200 H		
VDE 8120-160 H		
VDE 4522, V 914 1 2 3		

4529**MULTI-USE CABLE KNIFE**

- For stripping round cables, 4 - 28 mm
- Integrated stripping function for flexible and single-strand conductors
- No need to put down the knife when the blade is automatically switched from all-round to elongated cut
- The cutting depth of the pivoting internal knife E-4529 is adjustable

€15,95

excl. VAT



145

0.150 2955393

4529

NEW**8092****CABLE SHEARS**

- Max. cutting capacity Ø 10 mm²
- For cutting multi-core copper and aluminium cables up to Ø 10 mm

€14,90

excl. VAT



mm ²	Ø	mm	"inch"	Code	No.
10/50	10	160	6.1/2	2878356	8092-160 TL

NEW**8158****CRIMP WRENCH**

for conductor end-sleeves

- Automatic cross-section adjustment from 0.08 to 16.0 mm² / AWG 28 - 5 without adjustment

€119,00

excl. VAT



mm ²	AWG	L	Code	No.
0,08-16	28-5	250	2956268	8158

4528**UNIVERSAL CABLE KNIFE**

- For stripping round cables, 4 - 28 mm
- Hooked blade for separating cable strips and flat cables
- No need to put down the knife when the blade is automatically switched from all-round to elongated cut
- The cutting depth of the pivoting internal knife E-4528 is adjustable

€10,95

excl. VAT



145

0.155 6698300

4528

kg	Code	No.
50	170	6698300

113 DRIFT PUNCH SET

6 pieces

- › Chrome-molybdenum-vanadium air hardening steel 45CrMoV7
- › Carefully hardened and tempered along the full length
- › Striking heads inductively tempered
- › Working edge polished and clear varnished

€14,90
excl. VAT



Contents

99 10-1 2 3
99 12-4 5
100-10

Code

8753680

No.

113

116 L PIN PUNCH SET

6 pieces

- › Chrome-molybdenum-vanadium air hardening steel 45CrMoV7
- › Carefully hardened and tempered along the full length
- › Striking heads inductively tempered
- › Working edge polished and clear varnished

€23,95
excl. VAT



Contents

119-2 -3 -5 -175 -175-4 -175-6

Code

0.475 883990

No.

116 L

106 TOOL SET

6 pieces

- › Chrome-molybdenum-vanadium air hardening steel 45CrMoV7
- › Carefully hardened and tempered along the full length
- › Striking heads inductively tempered
- › Working edge polished and clear varnished



Contents

97-125 150, 98-125
99 12-3, 100-10, 119-4

Code

0,525 8725200

No.

106

ROTBAND-PLUS – a secure connection / The original one

- › The connection of hammer head and shaft ranks amongst the best points of ROTBAND-PLUS.
- › Wood screw, ring wedge and fixing plate ensure that permanent secure hold.
- › The hammer shaft is pressed into the hammer head.
- › The ring wedge is pressed in for securing the shaft in the hammer head eye.
- › The round, conical form ensures an all-round, uniform pressure.
- › Tightening the wood screw ensures the fixing plate is positively fitted to the shaft.
- › The steel shaft protective sleeve is hardened and thus especially impact-resistant.
- › It protects the shaft from damage when striking is not always true and provides the hammer head with an additional hold.

600 H ENGINEERS' HAMMER ROTBAND-PLUS

- › Forged hammer head DIN 1041 made from special steel
- › Contoured hickory handle DIN 5111
- › With a long hardened handle protective steel sleeve and fixing plate
- › ROTBAND-PLUS steel fixing, high safety, long service life



HIGHLIGHT

from
€11,90
excl. VAT



g	l mm	Code	No.	excl. VAT
100	260	8582850	600 H-100	11,90
200	280	8582930	600 H-200	12,90
300	300	8583070	600 H-300	12,90
400	310	8583150	600 H-400	13,90
500	320	8583230	600 H-500	14,90
600	330	8583310	600 H-600	16,90
800	350	8583580	600 H-800	17,90
1000	360	8583660	600 H-1000	21,90
1500	380	8583740	600 H-1500	27,90
2000	400	8583820	600 H-2000	32,90



€17,90
excl. VAT

75 GSTM CARPENTER'S HAMMER

- › Head and handle forged in one piece, nearly unbreakable
- › Ergonomic, air-cushioned 2-component handle
- › Optimum impact force - a result of its perfect balance
- › Fatigue-free working due to the new anti-vibration system
- › With magnetic nail holder

€39,90
excl. VAT



mm | mm | kg | Code No.
340 0.873 1576143 75 GSTM

2180 PIPE CUTTER for stainless steel pipes

- › Easy cutting due to ball-bearing pressure rollers and cutting wheels
- › With retractable deburring tool, spare cutting wheel in handle
- › Cutting wheel with high service life
- › No. 2180 3 and 2180 4 body in pressure-cast magnesium, no. 2180 5 body in pressure-cast aluminium
- › No. 2180 5 with quick-release

HIGHLIGHT

from
€39,90
excl. VAT

2180 3 / 2180 4



Ø mm	Wall thickness	mm mm	Code	No.	excl. VAT
3-35	0,7-2,5	160	2964066	2180 3	39,90
3-45	0,7-2,5	180	2964074	2180 4	47,90
6-76	0,7-2,5	245	2964082	2180 5	69,90

101 AUTOMATIC CENTRE PUNCH with tip

- › With spring mechanism
- › Impact power can be set by a screw thread
- › With hand protection for comfortable and safe working

€21,90
excl. VAT



L	S	d	kg Code	No.
145	16	4	0.145 8722880	101

142-430 ALUMINIUM PRYBAR

- › Forged of high-class aluminium
- › Extremely light and very robust
- › For universal use - with pry and tip

€19,90
excl. VAT




mm mm	mm mm	kg Code	No.
430	26	0.405 1859188	142-430

226100 SHEARS SET for plastic pipes

- › To cleanly cut hard and soft plastic pipes, rubber hoses
- › Contains form blocks for 16, 19 and 25 mm pipes, 1 prism for profiles and 1 angle stop adjustable up to 45°

€31,95
excl. VAT



kg	Code	No.
1.050	1637983	226100

1100-245680 BENDING TOOL SET

hydraulic, in L-BOXX® 136

- › Sizes from 10 to 22 mm Ø up to 90°
- › For soft copper pipes EN 1057 up to 22 mm (also heat-insulated), composite pipes up to 20 mm as well as precision steel pipes EN 10305-3 (DIN 2394) up to 18 x 1.5 mm
- › With 7 bending formers for pipes with Ø 10, 12, 14, 15, 18, 20 and 22 mm and corresponding counter-supports
- › Hydraulic drive without great effort
- › With pipe cutter no. 2250 3

HIGHLIGHT

€598,00

excl. VAT



Contents

1 base unit, hydraulic no. 245670

5 kg

Code

No.

7 aluminium bending formers

for pipes with Ø 10, 12, 14, 15, 18, 20,
22 mm

3 counter-supports reinforced Ø 6-12,
14-17, 18-22 mm

1 pipe cutter Ø 3-35 mm no. 2250 3

1 GEDORE L-BOXX® 136 no. 1100 L

NEW

1101-570500

SET OF ARC PUNCHES

in i-BOXX® 72

- › To DIN 7200 Form A
- › For stamping out cardboard, leather, rubber, sealing materials and other soft materials

HIGHLIGHT

€129,00

excl. VAT



Contents

18 pieces, consisting of 1 piece each

5 kg

Code

No.


Arc punch 2, 3, 4, 5, 6, 7, 8, 9,

10, 11, 12, 13, 14, 15, 16, 18, 20, 22 mm

1 GEDORE i-BOXX® 72 no. 1101 L



OCHSENKOPF
BY GEDORE



GERMANY'S OLDEST AXE FORCE

OCHSENKOPF stands for perfection and safety in forestry and carpentry tools.

Since the Fahlefeld Bros. established the firm in 1781, the best steel with the best cut has been forged to a maximum quality in the Remscheid factory. An OCHSENKOPF axe stands for top-grade craftsmanship. It is still the pride of the traditional tool industry in "Bergisches Land".

A brand like a myth.

OX 244 E-1251

AXE SPALT-FIX®

- › Optimum splitting results,
less force required due to wedge-shaped blade
- › Long service life, little weight
- › With high-quality ash handle.
End of handle rounded for extra comfort.

€33,95

excl. VAT



1250 100 500 1650

Code No.
1591738 OX 244 E-1251

OX 248 E-2501

AXE SPALT-FIX®

- › Optimum splitting results,
less force required due to wedge-shaped blade
- › Long service life, little weight
- › With high-quality ash handle.
End of handle rounded for extra comfort.

€49,00

excl. VAT



2500 115 800 3250

Code No.
1591703 OX 248 E-2501

OX 42-1050

ALUMINIUM MASSIVE WEDGE

- › Forged safety wedge made of high-quality aluminium
- › Particularly suitable for felling and splitting
- › With acute angled grooves on the front and double longitudinal grooves on the back
- › Extremely strong and little weight

€22,90

excl. VAT



KWF

max. stroke height L B $\Delta g \Delta$
40 260 60 1050

Code No.
1591142 OX 42-1050

OX 635 H-3009

WOOD SPLITTING HAMMER PROFESSIONAL BIG OX®

- › Patented handle join ROTBAND-PLUS
for an optimum in safety
- › Forged hammer head with turning nose
and extra large striking face,
e.g. for driving wedges
- › With high-quality hickory handle
and blade-protection. End of handle rounded
for extra comfort.

€66,90

excl. VAT



3000 70 900 4200

Code No.
1707663 OX 635 H-3009



TOOLS FOR LIFE

GEDORE Werkzeugfabrik GmbH & Co. KG
Remscheider Straße 149
42899 Remscheid · GERMANY

T +49 21 91 - 596 - 0
F +49 21 91 - 596 - 230
info@gedore.com
www.gedore.com

Brands of the GEDORE Group

gedore.com · carolus.de · ochsenkopf.com

YOUR DEALER

Delivery without decoration. Technical specifications subject to modifications.
No liability for printing errors. Please ask your local dealer.

Valid from 01/04/2016 until 31/03/2017